

SHADE SOLUTIONS




TABLE OF CONTENT

	Table of Content	2	
	Side Pole Umbrella Prostor P6 - Prostor P7	3-18	
\hat{T}	Center Pole Umbrella		
	Prostor P8	19-22	
	Prostor P50	23-24	
	Telescopic Arm Umbrella		
	Prostor P3 - Prostor P4	25-28	
	Windscreen		
	Prostor Windblocker	29-31	
	Pergola		
	Prostor Cabana	32-35	
	Gallery		
	Hospitality & Cities	36	
	Pools & Private	37	
	Specials & Accessories	38	
	The Company	39	









Make your place in the shade according to your needs and desires

SQR











Product video


Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.


RND




SQR XL







RND XL



Fixation


Ground anchor or wall bracket, choose the fixation depending on your garden or patio

GROUND



Steel base With 8 tiles: 130 kg

With 12 tiles: 185 kg Not suitable for the XL version Does not include tiles




Steel base


With 4 tiles: 115 kg With 8 tiles: 215 kg Does not include tiles




Stylish cover for steel base.



Floorplate must be chemical anchored. Weight: 38 kg




Floorplate must be chemical anchored. Weight: 30 kg




Adjustable ground anchor. Recommended to align multiple sets of P6, it gives you up to 15° tolerance to the left and right.

WALL



Easy to install wall brackets, delivered per 2 pieces. Only for square P6 Uno or P6 Duo. In non-painted galvanized steel. More info: see p. 12








Specifications

Choose an umbrella which best suits the size of your garden or patio


SQR RND

SQR XL Uno

RND XL



The P7 rotates 300° to provide shade at each time of day



The integrated rotating element allows you to benefit from the shade at each time of day.

*The small axle locks the umbrella into place and prevents it from spinning with the wind.

Product video


Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.



Fixation

Ground or wall fixation, according to your preference


GROUND







Stylish cover for steel base.




Steel base With 4 tiles: 115 kg With 8 tiles: 215 kg Does not include tiles



Ground anchor to secure into concrete, made from stainless steel and aluminium.

WALL





More info: see p. 12



The P6 pole can be mounted on the wall easily with 2 brackets. This allows for sun protection without having the pole or steel base sit in the way. Not possible for the Round (RND) version.

SQR



SQR XL






The P7 pole can also be fitted to the wall with two "rotating" brackets. By following the sun you can choose where you want shade easily, whatever the time of day. The P7 wall umbrella is designed to turn optimally when mounted on a corner. A small axle locks the umbrella into place and prevents it from spinning with the wind.

SQR

Uno


















- > The **newly designed gliding wagon** provides more strength and makes the operation much more easier thanks to the ergonomic rotary knob (see A).
- > The umbrellas are ultra-light to handle, thanks to the **stainless steel gas spring**, which compensates the weight of the umbrella (see B).
- > The P6 umbrella consists of 1, 2, 3 or 4 umbrellas on one pole. Each umbrella can be operated separately. You choose where you want shade or sun! This makes the P6 umbrella an ideal hospitality partner. For instance the following configurations are possible:











Pole and frame

The 100% aluminium pole and frame contains 4 decorative colours according to 2 different processes: Powder coating and Anodizing.

The powder-coated profiles have a textured finishing. This makes them even more scratch-resistant and maintenance-friendly. The textured coating of the umbrella also offers an unique look. Our colour range includes grey (RAL 9007), black (RAL 9005) or white (RAL 9016).

Anodizing is the second process to provide aluminium profiles with colour. Typical for anodization is that the original structure of the aluminium is retained. The anodizing process ensures a durable, corrosion-resistant and wear-resistant oxide layer. Anodization is possible in copper colour.



Fabric

A colourful range of choice for shedloads of shade fun




UV 95%





















Easy

Protects

from UV



UV 100%

Orange

Cotta








Widow



UV filter - enjoy the sun safely







The 2 lighter colours (White sand and Natural white) filter 95% of the UV's.



> The Skin Cancer foundation recommends Dickson Acrylic as a part of your complete sun protection regime, including regular use of sunscreen.



> This label certifies that the fabrics do not contain any toxic substances and do not present any health, skin or environmental hazards (Oeko-Tex



Weight: 290 g/m²

Fade

resistant

Colourfastness: 7-8/8 (Standard ISO 105 BO4)

Water-repellent

& Stain proof

Waterproof: >300 mm water column

Maintenance: all fabrics can be washed and replaced

Colour

retention

Protection, ease and maintenance




The deluxe watertight protection cover protects your umbrella from any and all weather conditions. The cover is made from grey or black solution-dyed polyester fabric.



The canopy can be printed with text and/or logo.



Connecting several umbrellas is easy by using rain gutters with zippers.



Move your umbrella effortlessly thanks to caster wheels with brakes. Only for the P6 or P7 UNO umbrellas (max. weight capacity for 4 wheels: 320 kg).



Prostor CLEAN

- > powerful stain remover
- > cleans intensely
- > removes stains and odours from the umbrella fabric

Prostor GUARD

- > protects against stains and pollution
- > colourless
- > restores water-repellent effect on the umbrella fabric




The Prostor Repair kit is a unique transparent repair patch for repairing tears and holes in acrylic and polyester fabrics. It is extremely strong and very elastic. The Repair kit is a permanent solution for your umbrella fabric, allowing you to enjoy your umbrella even longer.


- > Extremely strong
- > Watertight
- > Airtight
- > Very elastic
- > Does not fade
- > Does not dry out

Accessories

LED lighting

When the sun goes down and dusk sets in, Power-LED lighting adds a new, intimately cozy dimension to your umbrella, allowing you to stay put and enjoy the day that little bit longer. The LEDs are installed at the center of the umbrella, with all wiring and steering hidden neatly in the frame and pole.





The new 24V LEDs are fully integrated in the umbrella and can, from now on, also be completely dimmed.



Our new RGB LED 24V allows you to create a specific atmosphere on your terrace. With the supplied remote control you can choose the desired color. The RGB LED is also dimmable.



Not only the cabling has been completely incorporated, but also the control and the dimmer module are now nicely stored in the post.


16

Accessories

_

Heating







The heater doesn't have to be removed when closing the umbrella. The heating never comes into contact with the fabric.




Single or double sockets can be mounted onto the pole.



Specifications

User friendliness in large dimension

SQR



Finishing

Pole and frame

The pole and frame are 100% Powder coated aluminium with a textured finishing. This makes them even more scratch-resistant and maintenance-friendly.


The textured coating of the umbrella also offers an **unique look.** Available in **grey** (RAL 9007).




RAL 9007
Grey texture finishing

Fixation

_



Steel base With 8 tiles: 130 kg With 12 tiles: 185 kg Does not include tiles



Steel base With 4 tiles:: 115 kg With 8 tiles: 215 kg Does not include tiles



LED is integrated in spoke. Cover in All Weather fabric

Easy operation











During the design of the P8 the usability was very important. The P8 is very light to handle because of a gliding movement. Even the table and chairs can remain during opening and closing the P8 umbrella.



Floorplate must be chemical anchored. worden. Weight: 45 kg



Adjustable ground anchor
Recommended to align multiple sets,
it gives you up to 15° tolerance to
the left and right.



Stylish cover for steel base.

Accessories



Several umbrellas can easily be connected.

20

Fabric

Durable and protective

UV 95%

UV 100%

















resistant



Widow





Protects from UV

Colour retention

Dickson Acryl: 100% solution-dyed

Weight: 290 g/m²

Colourfastness: 7-8/8 (Standard ISO 105 BO4)

Waterproof: >300 mm water column

Maintenance: all fabrics can be washed and replaced

UV filter - enjoy the sun safely



> The Skin Cancer foundation recommends Dickson Acrylic as a part of your complete sun protection regime, including regular use of sunscreen.



> This label certifies that the fabrics do not contain any toxic substances and do not present any health, skin or environmental hazards (Oeko-Tex

Maintenance & Repair kit



Prostor CLEAN

- > powerful stain remover
- > cleans intensely
- > removes stains and odours from the umbrella fabric

Prostor GUARD

- > protects against stains and pollution
- > colourless
- > restores water-repellent effect on the umbrella fabric




The Prostor Repair kit is a unique transparent repair patch for repairing tears and holes in acrylic and polyester fabrics. It is extremely strong and very elastic. The Repair kit is a permanent solution for your umbrella fabric, allowing you to enjoy your umbrella even longer.

- > Extremely strong
- > Watertight
- > Airtight
- > Very elastic
- > Does not fade
- > Does not dry out



Specifications, fixation and accessories


DIMENSIONS



COLOURS

See page 22

FIXATION



Floorplate warm galvanised, 18 kg



Aluminium base coated aluminium cover to fill up with sand: 25 kg.



Comes with a polyester protection cover for durable use of your umbrella as stan-






Product video

Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.






DIMENSIONS



FIXATION / WALL BRACKET





Prostor P3

Product video

Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.



User-friendly and easy operation

P3 STRONG AND REMOVABLE!

- Can be easily removed from the wall bracket
- Can be locked in horizontal or vertical position
- Ideal for professional use (hotel, pub, restaurant,...)
- Weight of the arm: 4 kg

STEP 1 Bring the arm horizontal (90°)

STEP 2 Unfold the umbrella

STEP 3 Open the umbrella







P4 - EXTRA STEP TO IMPROVE YOUR COMFORT!

- User-friendly
- Can be locked in horizontal or vertical position or even at a 45° angle
- Standard with integrated gas spring to compensate the weight
- Weight of the arm: 4.75 kg

STEP 1 Bring the arm to the 45° position

STEP 2 Unfold the umbrella

STEP 3 Bring the arm to the 90° position

STEP 4 Open the umbrella



27



Prostor P4

Add colour to your place in the shade

UV 97%











Widow

Mold

resistant



UV 97%











care





from UV







100% Olefin 'COSLAN': solution-dyed

& Stain proof

Weight: 190 g/m2 Colourfastness: 7-8/8 Waterproof

resistant


UPF 40+: filters more than 97% of the UV rays Maintenance: all fabrics can be washed and replaced.

Arm and frame have a stylish finishing in anodised aluminium.


















DIMENSIONS



A: Box height Custom-made

> Acrylic fabric: 1.27m - 2.00m

> Soltis fabric: 1.27m - 1.86m

A': Fabric height Fabric height (A) - 7cm

B: Projection 2m, 3m or 4m

COLOURS

FABRIC

> Dickson Acrylic: solution-dyed

Colours: see p. 15 or request other colours.

Weight: 295 g/m²

Colourfastness: 7-8/8 (ISO 105B02 - ISO 105B04)

Waterproof: >350 mm water column

All acrylic fabrics have a horizontal seam down the middle to provide extra reinforcement to your windbreak

> Soltis 86: screen fabric Colours: by request. Weight: 380 g/m²

The Soltis fabric has no horizontal seam.

PROFILES

Standard colour: all profiles are 100% aluminium, in solid white texture coating (RAL 9016). Other RAL colours available at extra cost.





Fixation and characteristics

_

GROUND



The elegant box is easily hooked up with the two supplied hooks. Can be taken off in one movement (theft prevention).



Ground anchor provides extra anchoring.




Fixing the fabric
The floorplate with pole is chemically anchored into the ground...



WALL

... or 2 wall brackets hold the fabric.



Support wheel
Improved ease of use for manual
operation thanks to guiding support
wheel.



Locking
Locking the Windblocker guarantees
carefree enjoyment by preventing the
fabric from unrolling when the wind is
variable.

30











Specifications and colours

the shade solution for that blissful holiday feeling

DIMENSIONS





Product video

Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.

COLOURS

FABRIC

Thanks to the superior quality of the PVC fabric, you can enjoy your Cabana in any weather (offers both shelter from the sun and the rain).

100% Polyester: 550 dtex

Colour: white Weight: 650gr/m²

Colourfastness: 7-8/8 (DIN 53388)

Waterproof

Maintenance: the fabric is easily washable for even greater ease of use.

PROFILES

Standard colour: all profiles are 100% extruded aluminium with a solid white textured powder coating (RAL 9016).



Fixation and characteristics



Sliding roof: stylish sliding roof with PVC fabric which can be slide open and closed effortlessly.



Fixation: the L-profile inside the pole anchors the Cabana to the ground (standard).




Smart closing system



No visible screws for an even nicer finish.



Roofcover: protects your Cabana's PVC fabric against rain, dirt and dust.








Gallery Specials & Accessories

Get inspired by our realizations



The Company

Embrace the sun with our smart solutions for your patio



There is nothing more glorious than enjoying that good old sun on a radiant day. Or looking for shelter and refreshment in the shade when the sun starts shining too brightly. It's the perfect spot for reading a book, blissfully watching your kids playing or enjoying a tasty aperitif or a wonderful meal... Prostor takes pride in making that little place in the shade as stylish and functional as possible.

There's always a solution to suit your needs

As an expert in the development and sales of innovative sunshade systems, pergolas and windbreaks, Prostor offers a range of solutions to suit both smaller and larger patios, ensuring optimal usage of available space. Prostor products are available for private customers as well as professional projects, and cover both the middle and top segments. Always guaranteeing the same impeccable quality, naturally!

Nice to look at, easy to use

That excellence is combined with a stylish design and user-friendly functionality. So you can effortlessly enjoy your Prostor umbrella, pergola or windshield. The combination of high quality aluminium and superior quality cloth guarantee a sustainable and smart solution for your garden or patio.

Belgian quality, excellent service

The Brutsaert family - who is the driving force behind both Brustor and Prostor - has over 35 years of experience in sun protection. By constantly keeping a finger on the pulse of the latest trends and technologies, and offering excellent service to boot, we realize our ambition and daily motivation: the satisfaction of our customers. They can count on first-rate quality products made entirely in Belgium by an experienced and knowledgeable team. Our sales service runs through a dealer and distributor network with an in-depth knowledge of the market.

Follow us













Prostor bvba Lourdesstraat 84 - 8940 Geluwe - Belgium T +32 (0)56 26 56 56 - F +32 (0)56 20 01 35 info@prostor.be www.prostor.be

Prostor will not be held responsible for any printing or colour errors. Content is subject to modifications (technical and prices).

Your Prostor dealer